Lnnovator

Netzclipmaschine AVN 929

Net clipping machine AVN 929





Anwendungsbeschreibung

Mit dem Netzclipautomat AVN 929 lassen sich Zitrusfrüchte und viele andere stückige Produkte, die zuvor als Mengeneinheit von einer Wiege- oder Zählmaschine bereitgestellt wurden, zuverlässig und schnell in Netzbeutel verpacken. Durch umfangreiche Zusatzeinrichtungen kann dieser Clipper vielen Anforderungen angepasst werden. Auf Grund der Konstruktion sind alle Teile leicht zugänglich und es ist eine leichte Reinigung und Wartung möglich.



Operation description

The net clipping machine AVN 929 packs solid goods such as citrus fruits, potatoes, onions, garlic, tomatoes and similar products, which have been previously accumulated by a weighing or counting machine, efficiently into nets. The large scope of equipment allows for the clipping machine to be adapted to a wide range of products. This machine is constructed in such a way that all parts are easy to access for cleaning and maintenance purposes.



Technische Daten

Technical data

Leistung:

Bis 1 kg: 45 – 48 Netze / min. Bis 2 kg: 42 – 45 Netze / min. Bis 3 kg: 38 – 42 Netze / min. Bis 5 kg: 30 – 32 Netze / min.

Abmessungen:

L x B x H (in mm): 2.440 x 1.010 x 1.665

Verpackungsmackmaterial:

Marktübliches Netzmaterial

Vorteile der AFFELDT AVN 929:

- Hohe Produktionsleistung
- Kompakte Abmessungen
- Robustes Design und hohe Zuverlässigkeit
- Einfache Wartung durch große Zugänge
- Einfache Bedienung
- Leicht in vorhandene Systeme zu integrieren
- Fernwartungsfähig

Kombinierbar mit jeder gängigen Wiege- oder Zählmaschine.

Capacity:

Up to 1 kilo: 45 – 48 nets / min. Up to 2 kilos: 42 – 45 nets / min. Up to 3 kilos: 38 – 42 nets / min. Up to 5 kilos: 30 – 32 nets / min.

Dimensions:

L x W x H (in mm): 2.440 x 1.010 x 1.665

Packaging material:

Common netting material

Advantages of the AFFELDT AVN 929:

- High machine performance
- Compact dimensions
- Solid design and high reliability
- Easy maintenance due to wide access points
- Simple operation
- Easy to integrate in existing systems
- Remote maintenance ready

Combination with all dosing machines possible.

